

INDEX

- χ^2 distribution – *see* Chi-square distribution
- χ^2 hypothesis test – *see* Chi-square hypothesis test
- a priori approach to probability 126
- accounting rate of return 303–4
- activity on node method 387–91
- addition rule of probability 128
- additive time series model 328–30
- ANOVA 351
- ARR –*see* accounting rate of return
- averages 91–9
 - mean 91, 93–8, 108–10
 - median 91, 93–100, 106–10, 112
 - mode 91–3, 97, 110
- bar charts 60–2, 71–3, 76–80
 - component 61
 - multiple 61
 - percentage 61
 - simple 61
 - using Excel 70–3
 - using SPSS 76–8
- Bayes' theorem 133–6, 274–7
- binding constraint – *see* tight constraint
- binomial distribution 145–52
 - approximating by the normal distribution 164–5
 - mean and standard deviation of 151–2
 - using Excel 149
 - using tables 150
- box and whisker plot 106–7, 110–2
- buffer stock 418
- categorical data 53
- causal loop diagrams 265
- central limit theorem 178, 180, 182
- central tendency, measures of – *see* averages
- centred moving averages 325–8
- charts
 - bar 60–1
 - box and whisker 106–7, 110–2
 - frequency polygon 66
 - Gantt 392
 - histogram 64–5
 - line graph 61–3
 - ogive 67–8
 - pie 60
 - resource histogram 393
 - scatter diagrams 231–3
 - Stem and leaf plot 69–70
 - tally 57
 - using Excel 70–3
 - using SPSS 73–81
- chi square distribution 211, 427
- chi-square hypothesis test 210–21
 - goodness-of-fit test 211–3
 - test of association 213–6
- cluster sampling 40
- coefficient of correlation – *see* correlation
- coefficient of determination 242–3
- coefficient of variation 105
- cognitive maps 263
- collection of data 34
- combinations and permutations 136–7
- component bar chart 61
- compound events 126
- compound interest 304–6
- conditional probability 129–30
- confidence intervals 180–6
 - half width of 162
 - of a mean 180–5
 - of a percentage 185
- constant repayments 312–3
- Consumer price index 21–2
- continuity correction 220
- continuous compounding 315
- continuous data 53
- continuous probability distribution 145
- correlation 233–9
 - Pearson's product moment correlation 236–8
 - scatter diagrams 231–3
 - significance test of 238
 - Spearman's rank correlation coefficient 234–6
 - using Excel 242–3
 - using SPSS 245–6
- CPA – *see* critical path analysis
- Cramer's V statistic 218
- crashing 393–7
- critical path 391
- critical path analysis 385–400
 - activity-on-node 387–91
 - crashing 393–7
 - critical path 391

- float 390
- Gantt chart 392
- resource histogram 393
- resource scheduling 391–3
- crosstabs 216–21
- cumulative frequency ogive – *see* ogive
- data
 - categorical 53
 - collection of 34
 - continuous 53
 - discrete 53
 - grouped 57
 - interval scale 53–4
 - nominal 53–4
 - ordinal 53–4
 - outlier 56, 70, 101, 112–3
 - presentation of 53–9
 - primary 30
 - ratio scale 53–4
 - secondary 30
 - summarising 91–113
 - tabulation 54–9
- decision criterion 267–
 - expected monetary value 268–9
 - expected opportunity loss 268
 - Hurwicz criterion 268
 - maximax 268
 - maximin 268
 - minimax regret rule 268
- decision-making
 - causal loop diagrams 265
 - cognitive maps 263
 - decision trees 271–80
 - efficient frontier 287–8
 - expected monetary value 268–9
 - expected opportunity loss 268
 - influence diagrams 266–7
 - mind maps 262
 - multi-criteria 283–91
 - payoff tables 267–70
 - rich picture diagrams 262
 - utility 281–3
 - value of imperfect information 276
 - value of perfect information 270
- decision trees 271–80
 - and Bayes' theorem 274–7
 - sensitivity analysis 277–80
 - using Excel 280
- decomposition model – *see* time series
- degrees of freedom
 - chi-square distribution 211
 - confidence intervals using the
 - t -distribution 199
 - goodness-of-fit test 212
 - paired t -test 208
 - significance of r 238
 - test of association 215
 - test of a population mean 199
 - two sample t -test 203
- depreciation 314–5
- diagrammatic representation of data 59–81
- discount factor 306–10
- discounted cash flow techniques 304–11
- discrete data 53
- discrete probability distributions 145
- dispersion – *see* spread, measures of
- economic order quantity (EOQ) model 412–5
- efficient frontier 287–8
- empirical probability 125
- EMV – *see* expected monetary value
- EOQ – *see* economic order quantity
- errors, analysis of time series 331–5
- Excel
 - binomial calculations 149
 - charts 70–3
 - correlation and regression 242–4
 - decision trees 280
 - hypothesis tests 216
 - linear programming 360–4, 373–5
 - Poisson calculations 153
 - Solver 360–4, 373–5
 - summary statistics 107–10
 - time series 339–41
- expected monetary value 268–9
- expected opportunity loss 268
- expected value 137–8
- exponential smoothing 336–9
- finite population correction factor 187
- float 390
- forecasting *see* Time series analysis
- frame, sampling 32
- frequency distributions
 - empirical 145
 - mean of 93–6
 - median of 93–6
 - mode of 93–6
 - standard deviation 104–5
- frequency polygon 66
- frequency table
 - grouped 94
 - ungrouped 93
- Gantt chart 392
- Goal programming 370–5
- goodness-of-fit test 211–3
- grouped data 57
- grouped frequency table 94

- half width of a confidence interval 162
- Hiview 3 288–91
- histogram 64–5
- Hurwicz criterion 268
- hypothesis tests 193–220
 - chi-square hypothesis tests 210–20
 - correlation coefficient 238
 - goodness-of-fit test 211–3
 - large sample test for a population mean 194–8
 - large sample test for two independent population means 202–3
 - paired *t*-test 206–9
 - population percentage 200–1
 - small sample test for a population mean 198–200
 - small sample test for two independent population means 203–6
 - test of association 213–6
 - two population percentages 209–10
 - using Excel 216
 - using SPSS 205–6, 216–20
- independent events 126
- index numbers 16–23
 - Consumer price index 21–2
 - Laspeyres' index 19–20
 - Paasche's index 20
 - retail price index 21–2
 - simple indices 20–1
 - weighted aggregate 18–20
- inference – *see* confidence intervals and hypothesis tests
- influence diagrams 266–7
- internal rate of return 308–10
- interquartile range 129
- interval estimates – *see* confidence intervals
- interval scale data 53–4
- inventory control 410–19
 - buffer stock 418
 - discounts 417
 - economic order quantity (EOQ) model 412–5
 - time between orders 416–7
 - uncertainty in demand 417–9
- investment appraisal 300–16
 - accounting rate of return 303–4
 - compound interest 304–6
 - constant repayments 312–3
 - continuous compounding 315
 - depreciation 314–5
 - discount factor 306–10
 - discounted cash flow techniques 304–11
 - internal rate of return 308–10
 - net present value 306–8
 - payback method 303
 - present value 306
 - simple interest 304
 - sinking funds 311–2
- IRR – *see* internal rate of return
- judgemental sampling 42
- large sample test for a population mean 194–8
- large sample test for two independent population means 202–3
- Laspeyres' index 19–20
- least squares method 240–1
- line graph 61–3
- linear programming 348–75
 - binding and non-binding constraints 355
 - feasible region 355
 - Goal programming 370–5
 - graphical solution 352–60
 - minimisation problems 358–60
 - model formulation 350–1
 - sensitivity analysis 355–8
 - shadow price 356
 - tight and slack constraints 355
 - Transportation problems 365–70
 - using Excel 360–4, 373–5
- linear regression 239–45
 - coefficient of determination 242–3
 - method of least squares 240–1
 - using Excel 242–4
 - using SPSS 246–7
- location, measures of – *see* averages
- LP – *see* linear programming
- maximax criterion 268
- maximin criterion 268
- mean
 - of a binomial distribution 151
 - of a frequency distribution 93–6
 - of a normal distribution 156
 - of a Poisson distribution 156
- mean absolute deviation 334
- mean square error 334
- median 91, 93–100, 106–10, 112
- method of least squares 240–1
- mind maps 262
- minimax regret rule 268
- mode 91–3, 97, 110
- moving averages 325–8
- multi-criterion decision-making 283–91
 - efficient frontier 287–8
 - Sensitivity analysis 287–91
 - SMART 284–7

- swing weights 284
- Using Hiview 3 288–91
- value tree 284–5
- multiple bar chart 61
- Multiple regression 250–3
- multiplication rule of probability 129–30
- multiplicative time series model 328–31
- multi-stage sampling 39–40

- net present value 306–8
- Network analysis *see* Critical path analysis
- nominal data 53–4
- non-probabilistic sampling 34, 42
- normal distribution 156–67
 - approximating a binomial distribution 164–5
 - approximating a Poisson distribution 166
 - standard normal distribution 158–9
 - tables 425

- ogive 67–8
- ordinal data 53–4
- outlier 56, 70, 101, 112–3

- p*-value 205, 209, 219, 249
- Paasche's index 20
- paired *t*-test 206–9
- Pascal's triangle 148
- payback method 303
- payoff tables 267–70
- Pearson's product moment correlation coefficient 236–8
- percentage bar chart 61
- permutations and combinations 136–7
- Phi statistic 218
- pie chart 71
- point estimates 152–5
- Poisson distribution 152–5
 - approximating by the normal distribution 166
 - mean and standard deviation of 156
 - using Excel 153
 - using tables 154
- posterior probability 133
- present value 306–8
- presentation of data 50–81
 - diagrammatic methods 59–81
 - tabulation of 54–9
 - using Excel 70–3
- primary data 30
- prior probability 133
- probabilistic sampling 34
- probability 122–138
 - a priori* 126
 - addition rule 128–9
 - Bayes' theorem 133–6., 274–7
 - compound events 126
 - conditional 129–30
 - distributions 145–67
 - empirical 125
 - expected value 137–8
 - independent events 126
 - multiplication rule 129–30
 - mutually exclusive events 126
 - mutually exhaustive outcomes 126
 - permutations and combinations 136–7
 - subjective 125
 - tree diagrams 130–6
 - Venn diagrams 127
- probability distributions 143–67
 - binomial 145–52
 - chi-square 211
 - continuous 145
 - discrete 145
 - empirical 145
 - normal 156–67
 - Poisson 152–5
 - t*-distribution 183–4
- purposive sampling 42

- questionnaire design 34–7
- quota sampling 41–2

- random numbers 37, 428
- range 99
- ratio scale data 53–4
- regression – *see* linear regression
- residuals – *see* errors, analysis of time series
- resource histogram 393
- resource scheduling 391–3
- retail price index 21–2
- return on capital employed – *see* accounting rate of return
- rich picture diagrams 262

- sampling 32–4
- sampling distribution
 - of the mean 177–85
 - of a percentage 185–6
- sampling error 126
- sampling frame 32
- sampling methods 32–43
 - cluster 40
 - judgemental 42
 - multi-stage 39–40
 - non-probabilistic 34, 42
 - probabilistic 34
 - purposive 42
 - quota 41–2
 - simple random 37–8
 - snowball 42

- stratified 38–9
- systematic 41
- scatter diagrams 231–3
- seasonal component 328–31
- seasonally adjusted series 335
- secondary data 30
- sensitivity analysis
 - decision trees 277–80
 - linear programming 355–8
- shadow price 356
- significance of r 238
- significance testing – *see* hypothesis testing
- simple bar chart 61
- simple indices 20–1
- simple interest 304
- simple random sampling 37–8
- sinking funds 311–2
- skewness 67
- small sample test for a population mean 198–200
- small sample test for two independent population means 203–6
- SMART 284–7
- snowball sampling 42
- Solver 360–4, 373–5
- SMART 284–7
- Spearman's rank correlation coefficient 234–6
- spread, measures of 99–108
 - interquartile range 100
 - range 99
 - standard deviation 100–5
 - variance 100–5
- SPSS
 - charts 76–8
 - correlation and regression 245–7
 - crosstabs 216–21
 - hypothesis tests 205–6, 216–220
 - summary statistics 110–3
- standard deviation 100–5
 - of a binomial distribution 151–2
 - of a frequency distribution 104–5
 - of a normal distribution 156
 - of a Poisson distribution 156
 - of a population 176
 - of a sample 176
- standard error 179
 - of a percentage 185, 200
 - of the mean 179–80, 183, 194
 - of two independent means 202–4
 - of two population percentages 209–10
 - of paired samples 206–8
- standard normal distribution 158–9
- Stem and leaf plot 69–70
- stock control – *see* inventory control
- stratified sampling 39–9
- subjective probability 125
- summarising data 88–115
 - averages 91–9
 - spread 99–108
 - using Excel 108–10
 - using SPSS 110–13
- survey methods – *see* sampling methods
- systematic sampling 41
- t -distribution 183, 426
- t -test for a mean 198–200
- tabulation of data 54–9
- tally chart 57
- test for a population mean 194–200
- test for goodness-of-fit 211–3
- test for two population means 202–6
- test of a population percentage 200–1
- test of association 213–6
- test of two population percentages 209–10
- tests of hypothesis – *see* hypothesis tests
- tight constraints 355
- time series analysis 321–43
 - additive model 328–30
 - analysis of errors 331–35
 - centred moving averages 325–8
 - decomposition model 323–36
 - exponential smoothing 336–9
 - forecasting 335–6
 - mean absolute deviation 334
 - mean square error 334
 - moving averages 325–8
 - multiplicative model 328–31
 - seasonal component 328–31
 - seasonally adjusted series 335
 - trend 325–8
 - using Excel 339–41
- Transportation algorithm 365–70
- trend 325–8
- utility 281–3
- value of imperfect information 276
- value of perfect information 270
- variance 100–5
- Venn diagram 127
- weighted aggregate index 18–20
- Zscore – *see* Z transformation
- Z test for a population percentage 200–1
- Z test for two population percentages 209–10
- Z transformation 160