

Exercise 7j

1. Determine the interval and radius of convergence of the following power series:

$$(a) \sum_{n=0}^{\infty} (x^n) \quad (b) \sum_{n=1}^{\infty} \left(\frac{x^n}{2n} \right) \quad (c) \sum_{n=1}^{\infty} \left(\frac{x^n}{n^2} \right)$$

$$(d) \sum_{n=1}^{\infty} \left(\frac{nx^n}{2n+1} \right) \quad (e) \sum_{n=1}^{\infty} \left(\frac{x}{\sqrt{2}} \right)^n \quad (f) \sum_{n=0}^{\infty} \left(\frac{n^2}{2^n} \right) x^n$$

2. Determine the interval of convergence of [the following](#):

$$(a) \sum_{n=0}^{\infty} \left(\frac{x^n}{n!} \right) \quad (b) \sum_{n=1}^{\infty} \left(\frac{(-1)^{n-1} x^n}{n} \right) \quad (c) \sum_{n=0}^{\infty} \left(\frac{(-1)^n x^{2n}}{(2n)!} \right)$$

$$(d) \sum_{n=0}^{\infty} \left(\frac{(-1)^n x^{2n+1}}{(2n+1)} \right) \quad (e) \sum_{n=0}^{\infty} (x^{2n}) \quad (f) \sum_{n=0}^{\infty} (x^{n^2})$$

3. Determine the interval of convergence of [the following](#):

$$(a) \sum_{n=1}^{\infty} \left(\frac{(x+1)^n}{n} \right) \quad (b) \sum_{n=1}^{\infty} \left(\frac{(x-2)^n}{n^2} \right) \quad (c) \sum_{n=0}^{\infty} \left(\frac{(-1)^n (x-1)^n}{2^n} \right)$$

$$(d) \sum_{n=0}^{\infty} \left(\frac{n}{2n+1} \left(\frac{x+3}{2} \right)^n \right)$$

4. Show that $L = 1$ for each of the series of part (III) of (7.30):

$$(a) \sum \left(\frac{1}{n} \right) \quad (b) \sum \left(\frac{(-1)^{n+1}}{n^2} \right) \quad (c) \sum \left(\frac{(-1)^{n+1}}{n} \right)$$

5. Find the interval of convergence of [the following](#):

$$(a) \sum_{n=0}^{\infty} (nx^{n-1}) \quad (b) \sum_{n=1}^{\infty} \left(\frac{(-1)^n x^n}{\sqrt{n}} \right) \quad (c) \sum_{n=0}^{\infty} (n^p x^n)$$

$$(d) \sum_{n=1}^{\infty} \left(\frac{x^n}{n^2 \sqrt{n}} \right) \quad (e) \sum_{n=1}^{\infty} \left(\frac{(-3)^n x^n}{n \sqrt{n}} \right) \quad (f) \sum_{n=0}^{\infty} (x^n n^2 e^{-2n})$$

Solutions

- Interval of convergence is $-1 < x < 1$. Radius of convergence is $R = 1$.
 - Interval of convergence is $-1 \leq x < 1$. Radius of convergence is $R = 1$.
 - Interval of convergence is $-1 \leq x \leq 1$. Radius of convergence is $R = 1$.
 - Interval of convergence is $-1 < x < 1$. Radius of convergence is $R = 1$.
 - Interval of convergence is $-\sqrt{2} < x < \sqrt{2}$. Radius of convergence is $R = \sqrt{2}$.
 - Interval of convergence is $-2 < x < 2$. Radius of convergence is $R = 2$.
- Interval of convergence is:
 - $-\infty < x < +\infty$
 - $-1 < x \leq 1$
 - $-\infty < x < +\infty$
 - $-1 \leq x \leq 1$
 - $-1 < x < 1$
 - $-1 < x < 1$

3. Interval of convergence is

(a) $-2 \leq x < 0$

(b) $1 \leq x \leq 3$

(c) $-1 < x < 3$

(d) $-5 < x < -1$

4. (a) $\lim_{n \rightarrow \infty} \left(\frac{n}{n+1} \right) = 1$ (b) $\lim_{n \rightarrow \infty} \left(\frac{n}{n+1} \right)^2 = 1$ (c) $\lim_{n \rightarrow \infty} \left(\frac{n}{n+1} \right) = 1$

5. Interval of convergence is

(a) $-1 < x < 1$

(b) $-1 < x \leq 1$

(c) $-1 < x < 1$

(d) $-1 \leq x \leq 1$

(e) $-\frac{1}{3} \leq x \leq \frac{1}{3}$

(f) $-e^2 < x < e^2$

Formatted: Bullets and Numbering